

Morris Leslie

PLANT SALES

Morris Leslie Telehandler Inspection Form

ALL BOXES MUST BE COMPLETE FOR ALL MACHINES

MACHINE DETAILS			
Internal stock No:	MLP13375		
Manufacturer:	JCB		
Model:	535-125		
Year:	2021		
Hours:	2944.2		
Serial Number:	3010685		
Registration Number:	SG21 GGU		
Machine Start Code:	1945		
Condition:	<input checked="" type="checkbox"/> Used	<input type="checkbox"/> Ex Demo	
Location Name & Postcode:	W'HALL WV12 4LF		
ENGINE			
Engine Manufacturer:	JCB		
Engine Model:	TA5-55		
Engine Serial Number:	U1139521		
Engine Output:	55	KW	
Emission Level:	<input type="checkbox"/> Stage IIIB / Tier IV interim	<input type="checkbox"/> Stage IV / Tier IV final	<input checked="" type="checkbox"/> Stage V / Tier IV final <input type="checkbox"/> Stage V / Tier V
POWERTRAIN			
DRIVE	<input type="checkbox"/> 2WD	<input checked="" type="checkbox"/> 4WD	
Transmission Type	<input type="checkbox"/> Hydrostatic	<input type="checkbox"/> Synchro	<input checked="" type="checkbox"/> Powershift
Number of speeds	4		
OTHER INFORMATION			
Gross Weight:	10020	KG	
CE Marked:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Country of Manufacture:	UK		
Cabin Type:	<input type="checkbox"/> Open Cabin	<input checked="" type="checkbox"/> Enclosed Cabin	
Operator Controls:	<input checked="" type="checkbox"/> Lever	<input type="checkbox"/> Joystick	
Air conditioning:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Heater:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
AD blue:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
Additional hydraulics:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Road Lights:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Camera:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
Rotating beacon:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Green beacon:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Paintwork:	OK		
CATEGORY SPECIFIC			
Capacity:	3500	KG	
Outriggers:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Max Forward Reach:	9	M	
Carriage Type:	<input type="checkbox"/> Standard	<input checked="" type="checkbox"/> Fork-Positioner	
Telematics:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Maximum Lift Height:	12	M	
Frame Leveling/Sway:	<input type="checkbox"/> Fixed	<input checked="" type="checkbox"/> Variable	
CHASSIS			
Towing Hitch:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Tyre % Remaining:	<input type="checkbox"/> N/S/F: 80%	<input type="checkbox"/> O/S/F: 80%	<input type="checkbox"/> N/S/R: 80% <input type="checkbox"/> O/S/R: 60%
All-Wheel Steer:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
EXTERIOR			
ROPS:	<input checked="" type="checkbox"/> Enclosed	<input type="checkbox"/> Open	
Fenders:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Number of Fenders:	<input type="checkbox"/> 2	<input checked="" type="checkbox"/> 4	
SELLER'S CONDITION REPORT			
Latest inspection:	19.03.24	Shipping Length:	5840 mm
Condition Info:	OK	Shipping Width:	2350 mm
Full service history:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Shipping Height:	2590 mm
Certificates:	<input checked="" type="checkbox"/> CE Cert <input checked="" type="checkbox"/> Loler Cert	Shipping Weight:	10020 kg
Inspected by:	M.HART		
Date:	20.03.24		

Please complete and email to: sales.info@morrisleslie.co.uk



Development Member



GA1 Fleet Number:

MLP13375

REPORT OF THOROUGH EXAMINATION

This report complies with the requirements of the Lifting Operations and Lifting Equipment Regulations 1998 and Power Regulations 1998

Date of Thorough Examination: 19/01/2024		Date of Report: 19/01/2024		Report number: ML12M24000155	
Name and Address of employer for whom the thorough examination was made: Morris Leslie, Errol Airfield, Errol, Perth, PH2 7TB			Address of premises at which the examination was made: Morris Leslie Plant Hire Ltd, Station Rd, Ampthill, Bedford, MK45 2FN		
Description and identification of the equipment: Equipment Type: JCB 535-125 Telehandler (SG21 GGU) ID: JCB5ANMGCM3010685 Quick Hitch Type: N/A Quick Hitch S/N: N/A		Safe Working Load(s): In Accordance with manufacture specification found in cab.	Date of manufacture if known: N/A	Date of last thorough examination: N/A	
Is this the first examination after installation or assembly at a new site or location?		Was the examination carried out:			
YES <input type="checkbox"/> NO <input type="checkbox"/> X <input type="checkbox"/>		Within an interval of 6 months?		YES <input type="checkbox"/> NO <input type="checkbox"/> X <input type="checkbox"/>	
		Within an interval of 12 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input type="checkbox"/> X <input type="checkbox"/>	
Identification of any part found to have a defect which is or could become a danger to persons and a description of the defect: (If none state NONE) None Found.					
Is the above an existing or imminent danger to persons *Note-This is a reportable defect				YES <input type="checkbox"/>	NO <input type="checkbox"/> X <input type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons: (If YES state the date by when) N/A			YES by:		
Particulars of any repair, renewal or alteration required to remedy the defect identified above: Equipment was found to be in safe working order at time of inspection.					
Particulars of any tests carried out as part of the examination: (If none state NONE) None					
Observations / additional comments relative to this thorough examination: Equipment was found to be in safe working order at time of inspection.					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input type="checkbox"/>	NO <input type="checkbox"/> X <input type="checkbox"/>
Name & Qualifications of person making this report: James Walsh City & Guilds, CITB		Name of person signing or authenticating this report on behalf of the author: Signature: <i>Mr James Walsh</i>		Latest date by which next thorough examination must be carried out: 18/01/2025	
Name and address of employer of persons making and authenticating this report: Walsh Machinery Ltd, 2 Stiven Crescent, Harrow. HA2 9AY					



DECLARATION OF CONFORMITY

MUP1337E

NAME AND ADDRESS OF MANUFACTURER	JC BAMFORD EXCAVATORS LIMITED LAKESIDE WORKS ROCESTER UTTOXETER STAFFORDSHIRE UNITED KINGDOM ST14 5JP
HEREBY DECLARES THAT THE MACHINERY / EQUIPMENT DESCRIBED BELOW: DESCRIPTION OF MACHINERY / EQUIPMENT:	LIFT TRUCK, COMBUSTION-ENGINE DRIVEN, COUNTERBALANCED (ROUGH TERRAIN TRUCKS)
TRADE NAME:	JCB
MODEL NAME:	535V125
SERIAL NUMBER OF MACHINERY / EQUIPMENT:	JCB5ANMGCM3010685

COMPLIES WITH THE PROVISIONS OF THE "MACHINERY DIRECTIVE" (DIRECTIVE 2006/42/EC AS AMENDED).	
THE FOLLOWING STANDARDS HAVE BEEN USED:	BS EN 1459-1:2017+A1:2020
NAME AND ADDRESS OF THE PERSON ESTABLISHED IN THE EU AUTHORISED TO COMPILE THE TECHNICAL FILE:	Managing Director JCB Vibromax GMBH EUROPAALLEE 113a 50226 FRECHEN GERMANY

COMPLIES WITH THE PROVISIONS OF THE "ELECTRO-MAGNETIC COMPATIBILITY DIRECTIVE" (DIRECTIVE 2014/30/EU AS AMENDED).	
---	--

COMPLIES WITH THE PROVISIONS OF THE "NOISE EMISSIONS IN THE ENVIRONMENT BY EQUIPMENT FOR USE OUTDOORS DIRECTIVE" (DIRECTIVE 2000/14/EC AS AMENDED)	
NAME AND ADDRESS OF THE PERSON WHO KEEPS THE TECHNICAL DOCUMENTATION:	PRINCIPAL ENGINEER NVH J.C. BAMFORD EXCAVATORS LIMITED LAKESIDE WORKS ROCESTER STAFFORDSHIRE UNITED KINGDOM ST14 5JP
CONFORMITY ASSESSMENT PROCEDURE:	ANNEX VI - PROCEDURE 1
NAME AND ADDRESS OF NOTIFIED BODY:	VINCOTTE NV/SA JAN OLIESLARGERSLAAN 35 VILVOORDE BELGIUM B - 1800
MEASURED SOUND POWER LEVEL ON EQUIPMENT REPRESENTATIVE FOR THIS TYPE:	103 dBA
GUARANTEED SOUND POWER LEVEL FOR THIS EQUIPMENT:	104 dBA
NET INSTALLED POWER / MASS OF APPLIANCE:	55.0 kw

PLACE OF DECLARATION:	ROCESTER
DATE OF DECLARATION:	05/05/2021
NAME OF AUTHORISED SIGNATORY:	RICHARD BROOKS
POSITION:	ENGINEERING DIRECTOR
SIGNATURE:	

UK

Record of Inspection

Record of Service



Morris Leslie

PLANT SALES

Date	Machine	Fitters Time	Workshop Job No		Fleet No	Hours
27.4.22	12m Tele				13375	1120
ENGINE		CHG	CHKD	N/A	Comments & Work Done	
Engine Oil & Filters		/	/		REGEN CARRIED OUT SERVICED ENGINE OIL	
Air & Fuel Filters/Pre Filters		/	/			
Coolant Radiator Hoses Antifreeze			/			
Fan & Drive Belts & Pulleys			/			
Engine & Other Mountings			/			
Fuel Tank & System			/			
TRANSMISSIONS		CHG	CHKD	N/A	FILTER	
Operation of Clutch					AIR FILTER CABIN FILTERS TRANS FILTER MYD FILTER	
Transmission Oils & Filters			/			
Axle Oils and Breathers			/			
Drive / Prop Shafts & Couplings			/			
Oil Cooler & Hoses			/			
Wheel Bearing & Hubs			/			
Wheel Nut Tightness, Tyres Cond & Pressures			/			
HYDRAULICS		CHG	CHKD	N/A		
Hydraulic Oil & Filters Breather Vents			/			
Hydraulic Pumps, Pipes & Hoses			/			
Hydraulic Rams, Pins & Bushes			/			
Other Hydraulic Components			/			
EXCAVATORS		CHG	CHKD	N/A	NISE - O/S/R CUES TO CENTER TREAD OK.	
Track Condition Tension						
Sprockets, Idlers, Rollers						
Quick Hitch & Attachments						
Condition of Boom Dipper/Quick Hitch Sticker						
ROLLERS		CHG	CHKD	N/A		
Roller Mountings						
Sprinkler Scrapers						
TELEHANDLERS/FORKLIFTS						
Forks Masts Chains & Rollers & Wear Pads			/			
Counter Weight Security & SWL Charts			/			
CABS & CHASSIS		CHG	CHKD	N/A		
Op of Steering & Linkage			/			
Op of Foot/Hand & Overrun Brakes			/			
Tow Bar Eye Pin & Retainer			/			
Grease All Points			/			
ELECTRICAL		CHG	CHKD	N/A	GIB	
Battery Security & Top Up & Charging Rate			/			
Lights/Ind/Horn/Beacon/Bleepers/Warn Devices			/			
Engine Gauges & Warning Lights			/			
SAFETY		CHG	CHKD	N/A	NEEDS COIT FOR LAB	
Cab Doors/Steps/Glass/Canopy/Bonnet/Catches			/			
Driver Seat Restraints & Controls & ROPS & FOPS			/			
Safety Stickers Warning Signs Etc in Place			/			
ALL FUNCTIONS TEST						
Operations Manual/ML Instructions/Regeneration Stickers			/		UNDOOR SWAT	
Key			/			
Service Sticker			/			
Cleaned			/			
Fleet Number Visible			/			
Glass/Mirrors			/			
Grease Gun			/			
Statutory Inspection Expiry Date:						

I HEREBY DECLARE that the equipment above was Inspected/Serviceed in accord with the appropriate provisions and found free from any defect likely to effect safety (other than any listed above) and that these details are correct.

Signature:

Print:

Completed By:



Authenticated By:



Date: 27.4.22

MORRIS LESLIE PLANT HIRE

TYRE TREAD DEPTH REPORT

FLEET NUMBER: 13375

NEAR SIDE FRONT (A1)


CENTRE: 22

MID:

OUTER:

PRESSURE (PSI): 58
CONDITION: OK HAS
CUT TO CENTRE
TREAD OK

OUTER MID CENTRE



OFF SIDE FRONT (A2)

CENTRE: 25

MID:

OUTER:

PRESSURE (PSI): 58
CONDITION: OK

NEAR SIDE REAR (B1)

CENTRE: 25

MID:

OUTER:

PRESSURE (PSI): 58
CONDITION: OK

OFF SIDE REAR (B2)

CENTRE: 25

MID:

OUTER:

PRESSURE (PSI): 58
CONDITION: MINOR
CUT TO CENTRE
TREAD
2x CUTS TO OUTSIDE
WALL NOT TO CORD

OVERALL TYRE CONDITION: OK

DATE: 27.4.22

ENGINEER NAME: MT

OKO FILLED: YES NO

SIGNATURE

Record of Inspection Record of Service

MORRIS LESTER

PLANT SALES

Date	Machine	Fitters Time	Workshop Job No	Fleet No	Hours
01-03-24	JCB 535-125	RITCHIE		13375	2941
ENGINE			CHG	CHKD	N/A
Engine Oil & Filters			✓		
Air & Fuel Filters/Pre Filters			✓		
Coolant Radiator Hoses Antifreeze				✓	
Fan & Drive Belts & Pulleys				✓	
Engine & Other Mountings				✓	
Fuel Tank & System				✓	
TRANSMISSIONS			CHG	CHKD	N/A
Operation of Clutch					✓
Transmission Oils & Filters			✓		
Axle Oils and Breathers				✓	
Drive / Prop Shafts & Couplings				✓	
Oil Cooler & Hoses				✓	
Wheel Bearing & Hubs				✓	
Wheel Nut Tightness, Tyres Cond & Pressures				✓	
HYDRAULICS			CHG	CHKD	N/A
Hydraulic Oil & Filters Breather Vents			✓		
Hydraulic Pumps, Pipes & Hoses				✓	
Hydraulic Rams, Pins & Bushes				✓	
Other Hydraulic Components				✓	
EXCAVATORS			CHG	CHKD	N/A
Track Condition Tension					✓
Sprockets, Idlers, Rollers					✓
Quick Hitch & Attachments					✓
Condition of Boom Dipper/Quick Hitch Sticker					✓
ROLLERS			CHG	CHKD	N/A
Roller Mountings					✓
Sprinkler Scrapers					✓
TELEHANDLERS/FORKLIFTS					
Forks Masts Chains & Rollers & Wear Pads				✓	
Counter Weight Security & SWL Charts				✓	
CABS & CHASSIS			CHG	CHKD	N/A
Op of Steering & Linkage				✓	
Op of Foot/Hand & Overrun Brakes				✓	
Tow Bar Eye Pin & Retainer			✓		
Grease All Points				✓	
ELECTRICAL			CHG	CHKD	N/A
Battery Security & Top Up & Charging Rate				✓	
Lights/Ind/Horn/Beacon/Bleepers/Warn Devices				✓	
Engine Gauges & Warning Lights				✓	
SAFETY			CHG	CHKD	N/A
Cab Doors/Steps/Glass/Canopy/Bonnet/Catches				✓	
Driver Seat Restraints & Controls & ROPS & FOPS				✓	
Safety Stickers Warning Signs Etc in Place				✓	
ALL FUNCTIONS TEST					
Operations Manual/ML Instructions/Regeneration Stickers					
Key				✓	
Service Sticker				✓	
Cleaned				✓	
Fleet Number Visible				✓	
Glass/Mirrors				✓	
Grease Gun				✓	
Statutory Inspection Expiry Date:					

I HEREBY DECLARE that the equipment above was Inspected/Serviceed in accord with the appropriate provisions and found free from any defect likely to effect safety (other than any listed above) and that these details are correct.

Signature: *R. Loughlin*

Print: R. LOUGHLIN

Completed By: *R. LOUGHLIN*

Authenticated By:

Date: 01-03-24